

TU München, Fakultät für Informatik Lehrstuhl III: Datenbanksysteme Michael Jungmair



Database System Concepts for Non-Computer Scientist - WiSe 25/26

http://db.in.tum.de/teaching/ws2526/DBSandere/?lang=en

Sheet 04

Exercise 1

Formulate the following queries on the known university schema in SQL. Output all results without duplicates.

- (a) Find the *students* who know Sokrates from *lecture(s)*.
- (b) Find the *students* who attend *lectures* that Fichte also attends.
- (c) Find the assistants of professors who have taught the student Carnap e.g., as potential supervisors for his bachelor's thesis.
- (d) Give the names of the *professors* whom Theophrastos knows from *lectures*.
- (e) Which *lectures* are attended by *students* in the bachelor's program (1st–6th semester)? Give the titles of these *lectures*.

Solution:

(a) Find the *students* who know Sokrates from *lecture(s)*.

```
select distinct s.Name, s.StudNr
from Students s, attend a, Lectures 1, Professors p
where s.StudNr = a.StudNr
  and a.LectureNr = 1.LectureNr
  and 1.Given_by = p.PersNr
  and p.Name = 'Sokrates';
```

(b) Find the *students* who attend *lectures* that Fichte also attends.

```
select distinct s1.Name, s1.StudNr
from Students s1, Students s2, attend a1, attend a2
where s1.StudNr = a1.StudNr
and s1.StudNr != s2.StudNr
and s2.StudNr = a2.StudNr
and a1.LectureNr = a2.LectureNr
and s2.Name = 'Fichte';
```

(c) Find the assistants of professors who have taught the student Carnap.

```
select distinct asst.Name, asst.PersNr
from Assistants asst, Professors p, Lectures 1, attend a, Students
    s
where asst.Boss = p.PersNr
    and p.PersNr = 1.Given_by
    and 1.LectureNr = a.LectureNr
    and a.StudNr = s.StudNr
    and s.Name = 'Carnap';
```

(d) Give the names of the *professors* whom Theophrastos knows from *lectures*.

```
select distinct p.PersNr, p.Name
from Professors p, attend a, Lectures 1, Students s
where p.PersNr = 1.Given_by
  and l.LectureNr = a.LectureNr
  and a.StudNr = s.StudNr
  and s.Name = 'Theophrastos';
```

(e) Which *lectures* are attended by *students* in the bachelor's program (1st–6th semester)? Give the titles of these *lectures*.

```
select distinct 1.Title
from Lectures 1, attend a, Students s
where 1.LectureNr = a.LectureNr
   and a.StudNr = s.StudNr
   and s.Semester between 1 and 6;
```

Exercise 2

Answer the following questions on our university database using SQL:

- a) Find all foundation lectures (lectures that don't depend on another lecture).
- b) "Lonely Students" Are there any students that are attending a lecture on their own?
- c) "Industrial Students" List all students that are attending all lectures. Hint: 1 2

Solution:

a) Query:

```
select *
from lectures 1
where not exists (
   select *
   from require r
   where 1.lecturenr = r.successor)
```

¹The task can be rephrased as: List all students, where there is no lecture with no attend record of the student.

²Alternatively, you could also try counting how many lectures a student is attending.

```
b) Solution using a sub query:
    select distinct s.studNr, name
    from Students s, attend a
    where s.studNr = a.studNr
    and not exists(
        select *
        from attend a2
        where a2.lecturenr = a.lecturenr
        and a2.studnr != a.studnr
)
Solution using group by and having:
```

select distinct min(s.studNr), min(name)
from Students s, attend a
where s.studNr = a.studNr
group by a.lectureNr
having count(*) = 1

c) Solution using a double negative: "Find all students where there is no lecture that they did not attend." or "Find all students where there is no lecture, for which there is no entry in attend."

```
select *
from Students s
where not exists
    (select *
        from lectures l
        where not exists(
            select *
            from attend a
            where l.lecturenr = a.lecturenr
            and a.studnr = s.studnr
)
)
```

Alternatively, we can simply count how many lectures there are in one sub query and then use a second sub query to count how many lectures a student is attending. If the two numbers match (e.g., if there are 5 lectures at a university and a student is attending 5 lectures) then the student is attending all lectures.

Alternatively, we can simply count how many lectures there are in one sub query and then use a second sub query to count how many lectures a student is attending. If the two numbers match (e.g., if there are 5 lectures at a university and a student is attending 5 lectures) then the student is attending all lectures.

```
select s.name, s.studNr
from Students s, attend a
where s.studNr = a.studNr
group by s.name, s.studNr
having count(*) = (select count(*) from lectures)
```